


# Druckarmaturen nahtlose Rohrbogen 90°

**Werkstoff**  
Stahl

**Oberfläche**  
phosphatiert



| Bestell-Nr.    | D in mm  | zul. Biegeradius R | A±3 in mm | B±3 in mm |
|----------------|----------|--------------------|-----------|-----------|
| 90 1215 230 70 | 12 x 1,5 | 30                 | 230       | 70        |
| 90 1220 230 70 | 12 x 2,0 | 30                 | 230       | 70        |
| 90 1420 230 70 | 14 x 2,0 | 30                 | 230       | 70        |
| 90 1515 230 70 | 15 x 1,5 | 30                 | 230       | 70        |
| 90 1520 230 70 | 15 x 2,0 | 30                 | 230       | 70        |

|                        |          |    |     |     |
|------------------------|----------|----|-----|-----|
| <b>90 1615 230 70</b>  | 16 x 1,5 | 30 | 230 | 70  |
| <b>90 1620 230 70</b>  | 16 x 2,0 | 30 | 230 | 70  |
| <b>90 1815 236 72</b>  | 18 x 1,5 | 36 | 236 | 72  |
| <b>90 1820 236 72</b>  | 18 x 2,0 | 36 | 236 | 72  |
| <b>90 1830 236 72</b>  | 18 x 3,0 | 36 | 236 | 72  |
| <b>90 2020 236 81</b>  | 20 x 2,0 | 36 | 236 | 81  |
| <b>90 2025 236 81</b>  | 20 x 2,5 | 36 | 236 | 81  |
| <b>90 2215 238 78</b>  | 22 x 1,5 | 38 | 238 | 78  |
| <b>90 2220 238 78</b>  | 22 x 2,0 | 38 | 238 | 78  |
| <b>90 2225 238 78</b>  | 22 x 2,5 | 38 | 238 | 78  |
| <b>90 2235 238 78</b>  | 22 x 3,5 | 38 | 238 | 78  |
| <b>90 2520 244 94</b>  | 25 x 2,0 | 44 | 244 | 94  |
| <b>90 2525 244 94</b>  | 25 x 2,5 | 44 | 244 | 94  |
| <b>90 2530 244 94</b>  | 25 x 3,0 | 44 | 244 | 94  |
| <b>90 2540 244 94</b>  | 25 x 4,0 | 44 | 244 | 94  |
| <b>90 2815 248 98</b>  | 28 x 1,5 | 50 | 248 | 98  |
| <b>90 2820 248 98</b>  | 28 x 2,0 | 50 | 248 | 98  |
| <b>90 2830 248 98</b>  | 28 x 3,0 | 50 | 248 | 98  |
| <b>90 2835 248 98</b>  | 28 x 3,5 | 50 | 248 | 98  |
| <b>90 3025 250 110</b> | 30 x 2,5 | 50 | 250 | 110 |
| <b>90 3030 250 110</b> | 30 x 3,0 | 50 | 250 | 110 |
| <b>90 3035 250 110</b> | 30 x 3,5 | 50 | 250 | 110 |
| <b>90 3040 250 110</b> | 30 x 4,0 | 50 | 250 | 110 |

|                        |          |     |     |     |
|------------------------|----------|-----|-----|-----|
| <b>90 3520 260 125</b> | 35 x 2,0 | 60  | 260 | 125 |
| <b>90 3525 260 125</b> | 35 x 2,5 | 60  | 260 | 125 |
| <b>90 3530 260 125</b> | 35 x 3,0 | 60  | 260 | 125 |
| <b>90 3540 260 125</b> | 35 x 4,0 | 60  | 260 | 125 |
| <b>90 3550 260 125</b> | 35 x 5,0 | 60  | 260 | 125 |
| <b>90 3825 265 140</b> | 38 x 2,5 | 65  | 265 | 140 |
| <b>90 3830 265 140</b> | 38 x 3,0 | 65  | 265 | 140 |
| <b>90 3840 265 140</b> | 38 x 4,0 | 65  | 265 | 140 |
| <b>90 3850 265 140</b> | 38 x 5,0 | 65  | 265 | 140 |
| <b>90 4220 280 165</b> | 42 x 2,0 | 80  | 280 | 165 |
| <b>90 4230 280 165</b> | 42 x 3,0 | 80  | 280 | 165 |
| <b>90 4250 280 165</b> | 42 x 5,0 | 80  | 280 | 165 |
| <b>90 5050 310 310</b> | 50 x 5,0 | 210 | 310 | 310 |
| <b>90 5060 310 310</b> | 50 x 6,0 | 210 | 310 | 310 |
| <b>90 6580 320 320</b> | 65 x 8,0 | 180 | 320 | 320 |